

## Admins - Anomalie #1043

### les instructions generation de clés pour le VPN ne fonctionnent pas

20/11/2012 21:26 - Loïc Dachary

<b>Statut:</b>	Fermé	<b>Début:</b>	20/11/2012
<b>Priorité:</b>	Normale	<b>Echéance:</b>	20/11/2012
<b>Assigné à:</b>	Loïc Dachary	<b>% réalisé:</b>	100%
<b>Catégorie:</b>	Task	<b>Temps estimé:</b>	0.00 heure
<b>Version cible:</b>	Novembre 2012	<b>Temps passé:</b>	0.50 heure
<b>Difficulté:</b>	2 Facile		

#### Description

En exécutant les instructions de <http://127.0.0.1:8080/dokuwiki/doku.php?id=sysadm:configuration:vpn> on obtient:

```
root@pavot:~# cp -r /usr/share/doc/openvpn/examples/easy-rsa/2.0/ /tmp && cd /tmp/2.0/ # Copie locale
. ./vars # Chargement des variables
root@pavot:/tmp/2.0# NOTE: If you run ./clean-all, I will be doing a rm -rf on /tmp/2.0/keys
root@pavot:/tmp/2.0# ./build-key loic.dachary
Please edit the vars script to reflect your configuration,
then source it with "source ./vars".
Next, to start with a fresh PKI configuration and to delete any
previous certificates and keys, run "./clean-all".
Finally, you can run this tool (pkictool) to build certificates/keys.
root@pavot:/tmp/2.0# export KEY_COUNTRY="FR"
export KEY_PROVINCE=""
export KEY_CITY="Paris"
export KEY_ORG="OpenVPN"
root@pavot:/tmp/2.0# root@pavot:/tmp/2.0# root@pavot:/tmp/2.0# root@pavot:/tmp/2.0# export KEY_EMA
IL="admins@april.org"
root@pavot:/tmp/2.0#
root@pavot:/tmp/2.0#
root@pavot:/tmp/2.0# ./build-key loic.dachary
Please edit the vars script to reflect your configuration,
then source it with "source ./vars".
Next, to start with a fresh PKI configuration and to delete any
previous certificates and keys, run "./clean-all".
Finally, you can run this tool (pkictool) to build certificates/keys.
```

#### Historique

##### #1 - 20/11/2012 21:40 - Loïc Dachary

- % réalisé changé de 0 à 30

Il manquait la variable KEY\_DIR

[http://127.0.0.1:8080/dokuwiki/doku.php?id=sysadm:configuration:vpn#ajouter\\_un\\_nouveau\\_client\\_creer\\_une\\_nouvelle\\_clef](http://127.0.0.1:8080/dokuwiki/doku.php?id=sysadm:configuration:vpn#ajouter_un_nouveau_client_creer_une_nouvelle_clef)

##### #2 - 20/11/2012 22:00 - Loïc Dachary

Dans le fichier cdd il faut mettre le peer comme obtenu par ip a

```
82: tun2: <POINTOPOINT,MULTICAST,NOARP,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UNKNOWN qlen 100
    link/none
    inet 192.168.0.42 peer 192.168.0.41/32 scope global tun2
```

##### #3 - 20/11/2012 22:45 - Loïc Dachary

- Statut changé de Nouveau à Résolu

- % réalisé changé de 30 à 100

##### #4 - 29/05/2019 12:19 - Quentin Gibeaux

- Statut changé de Résolu à Fermé